HEAT-PRUF PLUMBERS GREASE

MSDS Revision Date: JUNE 2016

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product identifier	E HEAT-PRUF P	LUMBERS GREASE
Product Use	: Grease.	
Chemical Family	: Mixture.	
Manufacturer part no.	: GR1, GR1V	
Supplier's name and addre	ess:	Manufacturer's name and address:
Radiator Specialty Co.	., of Canada	Refer to Supplier
1711 Aimco Blvd. Mississauga, ON, Canada L4W 1H7	, 	
Information Telephone #	: (905) 625-9117 (Mon	day - Friday, 8 AM - 4 PM)
24 Hr. Emergency Tel #	: 613-996-6666 (CANL	JTEC)
SECTION 2 - HAZARDS	S IDENTIFICATION	
Classification	: WHMIS information:	This product is not a WHMIS controlled product in Canada. It does not

meet any of the criteria for a controlled product provided in Part IV of the Controlled Products Regulations (CPR).



Emergency Overview

Semi-solid. Petroleum odour.

Fumes from heated product or mists may irritate respiratory tract. May have laxative effects. May cause mild transient irritation. May be an aspiration hazard.

POTENTIAL HEALTH EFFECTS:

Signs and symptoms of short-term (acute) exposure

:

- Inhalation : If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and respiratory tract.
- : May cause mild skin irritation. Skin
- : May cause mild eye irritation. Eyes
- : May have laxative effects. May cause nausea, vomiting, and diarrhea. May be an aspiration hazard. Ingestion Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

Effects of long-term (chronic) exposure

: None known or reported by the manufacturer.

- **Carcinogenic status** Additional health hazards ÷
- : See TOXICOLOGICAL INFORMATION, Section 11. See TOXICOLOGICAL INFORMATION, Section 11.

Potential environmental effects

: See ECOLOGICAL INFORMATION, Section 12.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

		1
Ingredients	CAS #	Wt.%
ingredients		VVL. /6
Mineral oil	Proprietary	60.00 - 100.00

SECTION 4 - FIRST AID MEASURES

- Inhalation
- : If inhaled, move to fresh air. If breathing has stopped, give artificial respiration. lf

- symptoms develop, seek medical attention. Remove contaminated clothing. Wash exposed area thoroughly with soap and water for at :
- least 15 minutes. If irritation persists, seek prompt medical attention.

Eye contact	: Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, seek prompt medical attention.
Ingestion	 Seek immediate medical attention/advice. Do not induce vomiting. Never give anything by mouth to an unconscious person.
Notes For Physician	: Treat symptomatically.
SECTION 5 - FIRE FIGHT	TING MEASURES
Fire hazards/conditions of flar	nmability
	: Not flammable under normal conditions of use. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Product may float, and be re-ignited at the water's surface. Vapours are heavier than air and collect in confined and low-lying areas.
Oxidizing properties	: None known.
Explosion data: Sensitivity to	mechanical impact / static discharge
	: Not expected to be sensitive to mechanical impact or static discharge.
Suitable extinguishing media	: Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical. Do not use water jet, as this may spread burning material.
Special fire-fighting procedure	es/equipment
	: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.
Hazardous combustion produ	cts
·	: Carbon dioxide, carbon monoxide and other unidentified organic compounds.
SECTION 6 - ACCIDENT	AL RELEASE MEASURES
Personal precautions	: All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.
Spill response/cleanup	: Ventilate area of release. Remove all sources of ignition. Contain and absorb spilled material with inert, non-combustible absorbent material, such as sand. Notify the appropriate authorities as required.
Prohibited materials	: None known.
SECTION 7 - HANDLING	AND STORAGE
Safe Handling procedures	: Use in a well-ventilated area. Wear suitable protective equipment during handling. Avoid
	breathing vapours. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and flame. Avoid contact with incompatible materials. Wash thoroughly after handling. Keep containers closed when not in use.
Storage requirements	 Store in a cool, dry, well-ventilated area. Keep away from direct sunlight. Inspect periodically for damage or leaks.
Incompatible materials	: Strong oxidizing agents

Special packaging materials : Always keep in containers made of the same materials as the supply container.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits				
	ACGIH	TLV	<u>OSHA</u>	PEL
Ingredients	TWA	<u>STEL</u>	PEL	<u>STEL</u>
Mineral oil	5mg/m³ (As 'Oil mist, mineral')	N/Av	5mg/m³ (As 'Oil mist, mineral')	N/Av

Ventilation and engineering measures

: Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection

: If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Advice should be sought from respiratory protection specialists.

HEAT-PRUF PLUMBERS GREASE

Skin protection	:	Gloves impervious to the material are recommended. Advice should be sought from glove suppliers. Depending on conditions of use, an impervious apron should be worn.
Eye / face protection	:	Safety glasses with side-shields or chemical splash goggles.
Other protective equipment	:	An eyewash station and safety shower should be made available in the immediate working area.
General hygiene consideration	ns	
	:	Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Wash contaminated clothing before reuse. Wash hands thoroughly after using this product, and before eating, drinking or smoking.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: Semi-solid.	Appearance	: gel
Odour	: Petroleum odour.	Odour threshold	: N/Av
рН	: N/Av		
Boiling point	: N/Av	Specific gravity	: 0.99500
Melting/Freezing point	: 284°C	Coefficient of water/oil di	stribution
			: N/Av
Vapour pressure (mmHg @ 2	20° C / 68° F)	Solubility in water	: Negligible
	: < 0.1		
Vapour density (Air = 1)	: >1	Evaporation rate (n-Butyl	acetate = 1)
			: < 0.01
Volatile organic Compounds	(VOC's)	Volatiles (% by weight)	: N/Av
	: N/Av		
Flash point	: 450°C		
Flash point Method	: Cleveland Open Cup	Auto-ignition temperature	e : N/Av
Lower flammable limit (% by	vol.)	Upper flammable limit (%	by vol.)
	: N/Av		: N/Av
Flame Projection Length	: N/Av	Flashback observed	: N/Av
Absolute pressure of contain	ner	Viscosity	: N/Av
	: N/Av		
General InformatioIn	: No additional information.		
Section 10: STABILITY A	AND REACTIVITY		
Stability and reactivity	: Stable under the recomme	ended storage and handling cor	nditions prescribed.
Hazardous polymerization	: Hazardous polymerization	does not occur.	
Conditions to avoid	: Avoid heat and open flame	e. Avoid contact with incompati	ble materials.
Materials To Avoid And Inco			
	: Strong oxidizing agents		
Hazardous decomposition p	roducts : None known, refer to haza	ardous combustion products in	Section 5.
SECTION 11 - TOXICOI	OGICAL INFORMATION	N	
Target organs	: Eyes, skin, respiratory sys	tem and digestive system.	
Routes of exposure	: Inhalation: YES Skin A	Absorption: NO Skin & Ey	es: YES Ingestion: YES
Irritancy	: Mild.		
Toxicological data	: There is no available da	ata for the product itself, only	y for the ingredients. See below

l oxicological data	:	for individual ingredient acute toxicity data.	

	LC₅₀(4hr)	LD50	
Ingredients	<u>inh, rat</u>	(Oral, rat)	<u>(Rabbit, dermal)</u>
Mineral oil	N/Av	N/Av	N/Av
Carcinogenic status	: No components are listed as	carcinogens by ACGIH, IARC, (OSHA or NTP.
Reproductive effects	: Not expected to cause reproc	luctive effects.	
Teratogenicity	: Not expected to be a teratoge	en.	
Mutagenicity	: Not expected to be mutagenie	c in humans.	
Epidemiology	: None known or reported by the	ne manufacturer.	

Sensitization to material	: Not expected to be a skin or respiratory sensitizer.
---------------------------	--

- : None known or reported by the manufacturer. Synergistic materials
- other important hazards

: None known or reported by the manufacturer.

Conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity

: No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

Incrediente			oxicity to Fish	
Ingredients	CAS No	LC50 / 96h	NOEC / 21 day	M Factor
Mineral oil	Proprietary	N/Av	N/Av	None.

Ingredients	CAS No	Toxicity to Daphnia			Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor			
Mineral oil	Proprietary	N/Av	N/Av	None.			

<u>Ingredients</u>	CAS No	Тс	oxicity to Algae	
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Mineral oil	Proprietary	N/Av	N/Av	None.
Mobility	: No data is ava	ailable on the product itself.	· ·	
Persistence	: No data is ava	ailable on the product itself.		
Bioaccumulation potential	: No data is ava	ailable on the product itself		

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13 - DISPOSAL CONSIDERATIONS

Handling for Disposal	:	Handle waste according to recommendations in Section 7.
Methods of Disposal	:	Dispose of in accordance with federal, provincial and local hazardous waste laws.

SECTION 14: TRANPORT INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	Not regulated.	not regulated	none	\bigotimes
TDG Additional information	None.				

SECTION 15 - REGULATORY INFORMATION

Labelling:

This product is not a WHMIS controlled product in Canada. As such, this product does not require a WHMIS Supplier label.

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this MSDS contains all the information required by the CPR.

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

SECTION 16 - OTHER INFORMATION

Legend	: ACGIH: American Conference of Governmental Industrial Hygienists
	CAS: Chemical Abstract Services
	IARC: International Agency for Research on Cancer
	Inh: Inhalation
	LC: Lethal Concentration
	LD: Lethal Dose
	N/Ap: Not Applicable
	N/Av: Not Available
	NIOSH: National Institute of Occupational Safety and Health
	NOEC: No observable effect concentration
	OSHA: Occupational Safety and Health Administration
	PEL: Permissible exposure limit
	RTECS: Registry of Toxic Effects of Chemical Substances
	STEL: Short Term Exposure Limit
	TDG: Canadian Transportation of Dangerous Goods Act & Regulations
	TLV: Threshold Limit Values
	TWA: Time Weighted Average
	WHMIS: Workplace Hazardous Materials Identification System

References

: 1. Material Safety Data Sheets from manufacturer.

Prepared for: Radiator Specialty Co. of Canada 1711 Aimco Blvd. Mississauga, ON, Canada, L4W 1H7 Telephone: 905-625-9117 (Mon. - Fri., 8 AM - 4 PM) Please direct all enquiries to Radiator Specialty. Prepared by: ICC The Compliance Center Inc. icc ComplianceCenter http://www.thecompliancecenter.com

DISCLAIMER OF LIABILITY

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Radiator Specialty Co. of Canada and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Radiator Specialty Co. of Canada expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Radiator Specialty Co. of Canada.

MSDS Preparation Date (mm/de	d/y	ууу)
	:	08/13/2007

MSDS Revision Date (mm/dd/yyyy)

	:	JUNE 2016
Revision No.	:	4
Revision Information	:	(M)SDS sections updated: HEADER

END OF DOCUMENT